E JC/3	4_) (
Und the Paperwork Reduction Act of 1995, po page	U.S. Pat	Approved for use through 04/30/2003. OMB (
TRANSMITTAL	ons are required to respond to a collect Application Number	ent and I rademark Office; U.S. DEPARTMENT OF CO tion of information unless it displays a valid OMB contri 09/855,176	ol number.
	Filing Date	May 14, 2001	
FORM	First Named Inventor	Edward E. Knaus	WEI 1
(to be used for all correspondence after initial filing)	Art Unit	1635 A/IC	
	Examiner Name	Richard A. Schnizer	28 2002
Total Number of Pages in This Submission 7	Attorney Docket Number	A894605US	
ENG	CLOSURES (Check all th	1.61/	1500, 290
ENC	CLOSURES (Check all th		
Fee Transmittal Form	Drawing(s)	After Allowance Communication to a Technology Center (TC)	'n
Fee Attached	Licensing-related Papers	Appeal Communication to Boa	rd
Amendment/Reply	Petition	of Appeals and Interferences Appeal Communication to TC	
	Petition to Convert to a	(Appeal Notice, Brief, Reply Brief)
After Final	Provisional Application Power of Attorney, Revocation	Proprietary Information	
Affidavits/declaration(s)	Change of Correspondence Add	ress Status Letter	
Extension of Time Request	Terminal Disclaimer	Other Enclosure(s) (please	
Express Abandonment Request	Request for Refund	Identify below):	1
Information Disclosure Statement			
Certified Copy of Priority Remains	CD, Number of CD(s)		
Document(s)	od sokpoudodooment and sitt	stage	
Response to Missing Parts/	+		f
Incomplete Application	sponse to Notice	d Won-Complicut Amendment	
Response to Missing Parts		Amond mant	
under 37 CFR 1.52 or 1.53		· mes desinteset	
Ciena	OF APPLICANT, ATTORN	EY, OR AGENT	
or Doak Horne, Reg. 33,105			
Individual Signature			
Di Don 9			
August 26, 2003			
CERTIFIC	CATE OF TRANSMISSION	I/MAILING	=
I hereby certify that this correspondence is being facsimile transfirst class mail in an envelope addressed to: Commissioner for	nemitted to the LISDTO 4		age as
Typed or printed			
Signature		Date	—
		, Date	,

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE TO THE United States Patent Application:

In The Matter of United States Patent Application:

Serial No.

Filed

Group Art Unit

1635

Examiner

Schnizer, Richard A.

Title

COMBINED USE OF NUCLEOSIDE ANALOGUES AND GENÉ

TRANSFECTION FOR TISSUE IMAGING AND THERAPY

Our File

A894605US

Date

August 26, 2003

The Honorable Commissioner of Patents and Trademarks Washington, D.C. United States of America 20231

Response to Notice of Non-Compliant Amendment (Voluntary Revised Practice)

Dear Sir:

In response to the Notice of Non-Compliant Amendment mailed August 1, 2003, and further to our amendment dated July 15, 2003, please find enclosed a complete listing of all of the claims in the format as set out in the February 25, 2003 OG Notice.

Respectfully submitted,

D. Doak Horne

Registration No. 33,105

Gowling Lafleur Henderson LLP 700 - 2nd Street, S.W., Suite 1400, Scotia Centre Calgary, Alberta Canada T2P 4V5 (403) 298-1000

[CAL_LAW\961049\1]

The embodiments of the invention in which an exclusive property or privilege is claimed are defined as follows:

- 1. (Original) A method for monitoring the transfer of a foreign gene throughout a population of cells, comprising the following steps:
 - (a) selecting a foreign gene which has been isolated from a cell or virus and which has been transferred into the population of cells;
 - (b) selecting a labelled compound which will interact selectively with a protein expressed by the foreign gene to produce a labelled product and which has a rate of expulsion from the cells which is greater than a rate of expulsion from the cells of the labelled product;
 - (c) administering to the cells an effective dose of the labelled compound such that the labelled compound selectively interacts with the protein to produce the labelled product;
 - (d) waiting a period of time such that a substantial amount of the labelled compound has been expelled from the cells and such that a detectable amount of the labelled product remains within the cells; and
 - (e) determining the extent and location of the protein throughout the population of cells by detecting the labelled product.
- 2. (Original) The method as claimed in claim 1, further comprising the steps of isolating the selected foreign gene from a cell or virus and transferring the isolated foreign gene into the population of cells.
- 3. (Original) The method as claimed in claim 1, wherein the protein expressed by the foreign gene is not naturally occurring within the cells.
- 4. (Original) The method as claimed in claim 1, wherein step (d) is comprised of non-invasively detecting the labelled product.

- 5. (Original) The method as claimed in claim 4, wherein the labelled compound is a radiolabelled compound which interacts with the protein expressed by the foreign gene to produce a radio labelled product which can be detected using nuclear medicine imaging techniques.
- 6. (Original) The method as claimed in claim 5, wherein the foreign gene is a gene selected from eucaryotic or procaryotic cells.
- 7. (Original) The method as claimed in claim 5, wherein the foreign gene is selected from a virus.
- 8. (Original) The method as claimed in claim 7, wherein the foreign gene is selected from the group of viruses consisting of herpes simplex virus, human cytomegalovirus, varicella zoster virus and Epstein-Barr virus.
- 9. (Original) The method as claimed in claim 8, wherein the foreign gene is a gene which expresses herpes simplex virus thymidine kinase.
- 10. (Original) The method as claimed in claim 9, wherein the radiolabelled compound is a compound of the formula:

or a pharmaceutically acceptable salt thereof, wherein X is a radioactive halogeno substituent, wherein R_1 is a hydrogen, hydroxyl or fluoro substituent, wherein R_2 is a hydrogen or fluoro substituent, wherein R_3 is a substituent selected from the group consisting of hydrogen, arylcarbonyl, heteroarylcarbonyl, heterocyclocarbonyl, 1-methyl-1,4-dihydropyridyl-3-carbonyl, 3-7C cycloalkylcarbonyl, and alkylcarbonyls with a straight or branched chain having from 1 to 8 carbon atoms, and wherein R_4 is a substituent selected from the group consisting of hydrogen, arylcarbonyl, heteroarylcarbonyl, heterocyclocarbonyl, 1-methyl-1,4-dihydropyridyl-3-carbonyl, 3-7C cycloalkylcarbonyl, and alkylcarbonyls with a straight or branched chain having from 1 to 8 carbon atoms.

- 11. (Original) The method as claimed in claim 10, wherein X is a radioactive halogeno substituent selected from the group consisting of ¹²³I, ¹²⁴I, ¹³¹I, ⁷⁵Br, ⁷⁶Br and ¹⁸F.
- 12. (Original) The method as claimed in claim 11, wherein X is ¹²³I.
- 13. (Original) The method as claimed in claim 10, wherein X is a radioactive halogeno substituent selected from the group consisting of ^{123}I , ^{124}I and ^{131}I .
- 14. (Original) The method as claimed in claim 13, wherein R_1 is hydrogen, wherein R_2 is hydrogen, wherein R_3 is hydrogen, and wherein R_4 is hydrogen.
- 15. (Original) The method as claimed in claim 14, wherein X is ¹²³I.
- 16. (Original) The method as claimed in claim 13, wherein R_1 is hydrogen, wherein R_2 is hydrogen, wherein R_3 is 1-methyl-1,4-dihydropyridyl-3-carbonyl, and wherein R_4 is hydrogen.
- 17. (Original) The method as claimed in claim 16, wherein X is ¹²³I.
- 18. (Original) The method as claimed in claim 13, wherein R_1 is hydrogen, wherein R_2 is fluorine, wherein R_3 is hydrogen, and wherein R_4 is hydrogen.
- 19. (Original) The method as claimed in claim 18, wherein X is ¹²³I.
- 20. (Original) The method as claimed in claim 13, wherein R_1 is hydrogen, wherein R_2 is fluorine, wherein R_3 is 1-methyl-1,4-dihydropyridyl-3-carbonyl, and wherein R_4 is hydrogen.

- 21. (Original) The method as claimed in claim 20, wherein X is 123 I.
- 22. (Original) The method as claimed in claim 13, wherein R_1 is fluorine, wherein R_2 is hydrogen, wherein R_3 is hydrogen, and wherein R_4 is hydrogen.
- 23. (Original) The method as claimed in claim 22, wherein X is ^{123}I .
- 24. (Original) The method as claimed in claim 13, wherein R_1 is fluorine, wherein R_2 is hydrogen, wherein R_3 is 1-methyl-1,4-dihydropyridyl-3-carbonyl, and wherein R_4 is hydrogen.
- 25. (Original) The method as claimed in claim 24, wherein X is 123 I.
- 26. (Original) The method as claimed in claim 13, wherein R_1 is hydroxyl, wherein R_2 is hydrogen, wherein R_3 is hydrogen, and wherein R_4 hydrogen.
- 27. (Original) The method as claimed in claim 26, wherein X is 123 I.
- 28. (Original) The method as claimed in claim 13, wherein R_1 is hydroxyl, wherein R_2 is hydrogen, wherein R_3 is 1-methyl-1,4-dihydropyridyl-3-carbonyl, and wherein R_4 is hydrogen.
- 29. (Original) The method as claimed in claim 28, wherein X is 123 I.
- 30. (Original) The method as claimed in claim 10, wherein at least one of R_3 and R_4 is hydrogen.
- 31. (Original) The method as clamed in claim 10, wherein R₄ is hydrogen.
- 32. (Cancelled)A use of a labelled compound to monitor the transfer of a foreign gene throughout a population of cells, by selecting a foreign gene which has been isolated from a cell or virus and which has been transferred into the population of cells, selecting a labelled compound which will interact selectively with a protein expressed by the foreign gene to produce a labelled product and which has a rate of expulsion from the cells which is greater than a rate of expulsion from the cells of the labelled product, administering to the cells an effective dose of the labelled compound such that the labelled compound selectively interacts with the protein to produce the labelled product, waiting a period of time such that a substantial amount of the labelled compound has been expelled from the cells and such that a detectable amount of the

labelled product remains within the cells, and determining the extent and location of the protein throughout the population of cells by detecting the labelled product.

- 33. (New) A method of using a labelled compound to monitor the transfer of a foreign gene throughout a population of cells, comprising:
 - (a) selecting a foreign gene which has been isolated from a cell or virus and which has been transferred into the population of cells;
 - (b) selecting a labelled compound which will interact selectively with a protein expressed by the foreign gene to produce a labelled product and which has a rate of expulsion from the cells which is greater than a rate of expulsion from the cells of the labelled product;
 - (c) administering to the cells an effective dose of the labelled compound such that the labelled compound selectively interacts with the protein to produce the labelled product;
 - (d) waiting a period of time such that a substantial amount of the labelled compound has been expelled from the cells and such that a detectable amount of the labelled product remains in the cells; and
 - (e) determining the extent and location of the protein throughout the population of cells by detecting the labelled product.